INTEGRITY

Windows & Doors Lakewood, OH 216-221-5800



BUY LOCAL

BAY& BOW.

clevelandwindowcompany.com



Roof Options


Prefabricated roof system is custom built for your home. Installation time is greatly reduced.

HIP STYLE ROOF Add metal roof or shingles to match

* Bow in tan vinyl & sierra tan painted

aluminum roof

your home's existing roof.



CONCAVE METAL ROOF This elegant architectural detail is stunning in copper.

PAINTED ALUMINUM ROOF Hip or Concave, 26 color choices


Ask for a Una-Clad[™] color selector.

COPPER ROOF Incralac finish maintains the polished, shiny surface.



CASING & EDGE BANDING

3 ¹/₂", 2 ¹/₄" or 6" casing - Oak or Maple Veneered edge banding added to edge of plywood reduces installation time of casing.



INTERNAL PVC PANNING SYSTEM

Vacuum Formed PVC Panning Profiles, Left & Right styles Profiles include a variety of Extension Legs creating an Interior Gutter System.



Panning System acts as an Internal Weatherization Barrier Prevents Water Infiltration from reaching any Bay or Bow Window Wood Components



Interior Options

WOOD Oak or Birch construction

FINISHES

Interior wood surfaces stained and sealed with durable lacquer clear coat. Stain matches Polaris[®] woodgrain laminates when applied to Oak Only.


Paint in white or beige

Maintenance free, scratch resistant plastic laminate in white or beige.


Seat only or seat, head and side jambs Touch-up stain or paint included.



Box Bay outside projection always 23 1/8"



Bay Windows same width and flankers shown



4 light option shown is available in all 3 degrees







Invite Depth, Charm & Light Into Your Home

Polaris[®] will engineer and construct a strong and energy efficiency window system just for you.

BAYS feature a center picture window flanked by casement or double hung windows. Two of these operable windows can replace the picture window. Windows in a BOW are all the same size. Picture windows in this system are flanked by two operable windows.

These systems feature our best windows. Ask for an UltraWeld[®] brochure.

MULLIONS

Weyerhaeuser TimberStrand® **Engineered Wood Mullions** stay straight and are 25% stronger than ordinary wood.


PANNING SYSTEM

prevents water from infiltrating seat components.

CLAD EXTERIOR

is maintenance free. White or tan vinyl or color coordinated aluminum

Standard hanging cable system anchors window system to home. Each cable has a 600 lb. working load limit. Window pitch is precisely adjusted.








RECESSED LIGHTING* polished brass, brushed nickel or white clear • 1, 2 or 3 lights low voltage halogen bulb[s] & transformer included

3 lite bay Exterior Paint shown in Black*

SIMULATED DIVIDED LITES

Simulated Divided Lite (S.D.L.) kits are grids that are applied to the glass with extra strength adhesion sealant at the factory on the inside and outside of the sashes. The grids can be a different color on the inside and the outside of the window, each color or wood grain is priced separate. Each bar is "precisely" cut to length and completely machined with our high quality joint work. There are flat aluminum grids between the glass with the Simulated Divided Lites. This gives the look of a traditional true divided lite window.



1 1/4" Class A veneer is 67% thicker and

INSULATED SUPER SEAT*

DOW® 1" R-9 high density foam 3/4"


Maximum thermal efficiency

exterior grade plywood

Available in standard or deluxe style

stronger than typical construction.

Decorative Glass*



Member